



Welcome United States Patent and Trademark Office

Search Results
BROWSE
SEARCH
IEEE XPLORE GUIDE

Results for "((specification and parameters and test bench)<in>metadata)"



Your search matched 5 of 1424023 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search


☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)
[Select All](#) [Deselect All](#)

- ☐ 1. Automating functional coverage analysis based on an executable specification
Regimbal, S.; Lemire, J.-F.; Savaria, Y.; Bois, G.; Aboulhamid, E.M.; Baron, A.
[System-on-Chip for Real-Time Applications, 2003. Proceedings. The 3rd IEEE Workshop on](#)
30 June-2 July 2003 Page(s):228 - 234
[AbstractPlus](#) | Full Text: [PDF](#)(301 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. A tool for the automatic design of electronic control systems and circuits manufacturing plants
Lamas, A.; Duro, R.J.;
[Intelligent Data Acquisition and Advanced Computing Systems: Technology at 2003. Proceedings of the Second IEEE International Workshop on](#)
2003 Page(s):236 - 240
Digital Object Identifier 10.1109/IDAACS.2003.1249557
[AbstractPlus](#) | Full Text: [PDF](#)(452 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. Mixed-signal characterization environments for analog to digital converters
Abele, J.; Dupaix, B.; Fisher, J.S.; Bibyk, S.B.;
[Circuits and Systems, 2005. 48th Midwest Symposium on](#)
7-10 Aug. 2005 Page(s):1147 - 1150 Vol. 2
Digital Object Identifier 10.1109/MWSCAS.2005.1594309
[AbstractPlus](#) | Full Text: [PDF](#)(293 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. Modeling and control design for a computer-controlled brake system
Raza, H.; Zhigang Xu; Bingen Yang; Ioannou, P.A.;
[Control Systems Technology, IEEE Transactions on](#)
Volume 5, Issue 3, May 1997 Page(s):279 - 296
Digital Object Identifier 10.1109/87.572126
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(540 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 5. H_∞ design using normalized coprime factors: an application to an electrohydraulic actuator
Malasse, O.; Zasadzinski, M.; Jung, C.; Hayar, M.; Darouach, M.;
[Control Applications, 1994., Proceedings of the Third IEEE Conference on](#)

24-26 Aug. 1994 Page(s):983 - 988 vol.2
Digital Object Identifier 10.1109/CCA.1994.381199
[AbstractPlus](#) | Full Text: [PDF\(448 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE –

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	92	simulat\$3 same test adj bench and parameter same specification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:21
L7	78	L6 and specification and file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:21
L8	69	L7 and @ad<"20040114"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:21
L9	10	L8 and header and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:21
L10	3	L9 and (file near6 test adj bench)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:21
L11	3	L10 and input\$4 near6 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:19
L12	3	"7103860".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:40
L13	2	"20020188432"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:41
L14	2	"6083269".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:42

EAST Search History

L15	2	"6862717".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 12:42
S1	10	simulat\$3 adj network same GUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 15:18
S2	7	S1 and topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 12:05
S3	10	simulat\$3 adj network same GUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 12:05
S4	7	S3 and topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 12:05
S5	5	S4 and file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 12:27
S6	5	S5 and topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 13:13
S7	9	709/220-226.ccls. and network adj simulat\$3 same topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 13:14
S8	2	S7 and GUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 19:07
S9	27	simulat\$3 same test adj bench same parameter same specification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 19:09

EAST Search History

S10	2	S9 and extract\$4 near6 test\$3 near6 specification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 15:47
S11	27	simulat\$3 same test adj bench same parameter same specification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 16:03
S12	2	S11 and extract\$4 near6 specification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 16:03
S13	92	simulat\$3 same test adj bench and parameter same specification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 16:03
S14	4	S13 and extract\$4 near6 specification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 16:33
S15	92	S13 and specification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 16:34
S16	78	S15 and @ad<"20040114"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 16:34
S17	78	S13 and specification and file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 16:34
S18	69	S17 and @ad<"20040114"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 16:34
S19	10	S18 and header and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 16:51

EAST Search History

S20	3	S19 and (file near6 test adj bench)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:21
-----	---	-------------------------------------	---	----	----	------------------